

Lafarge Tarmac Buxton Lime & Powders

Calcium Dihydroxide Product safety data sheet

Issue 3 Rev.1 Lafarge Tarmac Oct.2013



Calcium Dihydroxide

(Prepared in accordance with Annex II of the REACH Regulation EC 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

1: Identification of the substance/preparation and of the company/undertaking

1.1: Identification of the substance or preparation

Hydrated lime Substance Name

Calcium dihydroxide, Calcium hydrate, Calcium hydroxide,

Synonyms: Lime putty, Lime water, Slaked lime,

Chemical Name and Formula Calcium dihydroxide - Ca(OH)₂

Trade Name Limbux, Kalic CAS N° 1305-62-0 EINECS N° 215-137-3 Molecular Weight 74.09

Reach Registration N^o 01-2119475151-45-0135

1.2: Use of the substance

Please check the identified uses in table 1 of the Appendix of this SDS. There are no uses advised against Uses advised against

1.3: Company identification

Name Lafarge Tarmac Buxton Lime & Powders

Tunstead Quarry,

Buxton, Address Derbyshire

SK17 8TG

Phone +44 (0)1298 768555

E-mail of competent person

buxton.technical@lafargetarmac.com responsible for SDS in the MS

or in the EU

1.4: Emergency telephone

UK/European Emergency N° 999/112

LT BL&P Transport +44 (0)1298 27500 Emergency Contact No. Refer to Hospital Accident and Emergency Department

2: Hazards identification

2.1: Classification of the Substance

2.1.1 Classification according to Regulation (EC) 1272/2008

STOT Single Exp. 3, Route of exposure: Inhalation

Skin Irritation 2 Eve Damage 1

2.1.2 Classification according to Directive 67/548/EEC

Xi – irritant

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) 1272/2008

Signal word: Danger Hazard pictogram:





Hazard statements:

H315: Causes skin irritation

H318: Causes serious eye damage H335: May cause respiratory irritation



Precautionary statements:

P102: Keep out of reach of children

P280: Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+P310: IF IN EYES: Rinse cautiously with water for several minutes. Immediately call

a POISON CENTRE or doctor/physician

P302+P352: IF ON SKIN: Wash with plenty of water

P261: Avoid breathing dust/spray

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P501: Dispose of contents/container in accordance with current waste regulations

2.2.2 Labelling according to Directive 67/548/EEC

Indication of danger:

Xi irritant



Risk phrases:

R37: Irritating to respiratory system

R38: Irritating to skin

R41: Risk of serious damage to eyes

Safety phrases:

S2: Keep out of the reach of children

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37: Wear suitable gloves

S39: Wear eye/face protection

2.3 Other hazards

The substance does not meet the criteria for PBT or vPvB substance.

No other hazards identified.

3: Composition / information on ingredients

3.1: Composition Main constituent

Name: Calcium dihydroxide

CAS: 1305-62-0 EINECS: 215-137-3

Impurities

No impurities relevant for classification and labelling.

Small quantities of calcium carbonate, calcium oxide and impurities. Impurities in lime products will vary from source to source.

4: First-aid measures

4.1 General Advice

No known delayed effects. Consult a physician for all exposures except for minor instances.

Following Eye Contact



Rinse eyes immediately with plenty of water and seek medical advice.

Following Inhalation

Move source of dust or move person to fresh air. Obtain medical attention

immediately.

Following Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT

induce vomiting. Obtain medical attention.

Following Skin Contact

Lafarge Tarmac Buxton Lime & Powders	Page 3 of 10	Issue 3 Rev.1 Lafarge Tarmac, Oct.2013
eSDS Calcium Dihydroxide		Document uncontrolled when printed





Carefully and gently brush the contaminated body surfaces in order to remove all traces of product. Wash affected area immediately with plenty of water. Remove contaminated clothing. If necessary seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Calcium dihydroxide is not acutely toxic via the oral, dermal, or inhalation route. The substance is classified as irritating to skin and the respiratory tract, and entails a risk of serious damage to the eye. There is no concern for adverse systemic effects because local effects (pH effect) are the major health hazard.

4.3 Indication of any immediate medical attention and special treatment needed Follow the advice given in section 4.1

5: Fire-fighting measures

5.1.1: Suitable Extinguishing media

Suitable extinguishing media

The product is not combustible. Use a dry powder, foam or CO₂ fire extinguisher to extinguish the surrounding fire.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.1.2: Unsuitable extinguishing media

Do not use water.

5.2: Special hazards arising from the substance or mixture

None

5.3: Advice for fire fighters

Avoid generation of dust. Use breathing apparatus. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

6: Accidental release measures

6.1: Personal precautions, protective equipment and emergency procedures

6.1.1: For Non-emergency personnel

Ensure adequate ventilation. Keep

dust levels to a minimum. Keep

unprotected persons away.

Avoid contact with skin, eyes, and clothing – wear suitable protective equipment (see section 8). Avoid inhalation of dust – ensure that sufficient ventilation or suitable respiratory protective equipment is used, wear suitable protective equipment (see section 8).

6.2: Environmental precautions

Contain the spillage. Keep the material dry if possible. Cover area if possible to avoid unnecessary dust hazard. Avoid uncontrolled spills to watercourses and drains (pH increase). Any large spillage into watercourses must be alerted to the Environment Agency or other regulatory body.

6.3: Methods and material for containment and cleaning up

In all cases avoid dust formation.

Keep the material dry if possible.

Pick up the product mechanically in a dry way.

Use vacuum suction unit, or shovel into bags.

6.4 Reference to other sections

For more information on exposure controls/personal protection or disposal considerations, please check section 8 and 13 and the Appendix of this safety data sheet.

7: Handling and storage

7.1: Precautions for safe handling

7.1.1: Protective Measures

Avoid contact with skin and eyes. Wear protective equipment (refer to section 8 of this safety data sheet). Do not wear contact lenses when handling this product. It is also advisable to have individual pocket eyewash. Keep dust levels to a minimum. Minimise dust generation. Enclose dust sources, use exhaust ventilation (dust collector at handling points). Handling systems should preferably be enclosed. When handling bags usual precautions should be paid to the risks outlined in the Council Directive 90/269/EEC.



7.1.2: Advice on general occupational hygiene

Avoid inhalation or ingestion and contact with skin and eyes. General occupational hygiene measures are required to ensure safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no drinking, eating and smoking at the workplace. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home.

7.2: Conditions for safe storage, including any incompatibilities

The substance should be stored under dry conditions. Any contact with air and moisture should be avoided. Bulk storage should be in purpose—designed silos. Keep away from acids, significant quantities of paper, straw, and nitro compounds. Keep out of reach of children. Do not use aluminium for transport or storage if there is a risk of contact with water.

7.3: Specific end use(s)

Please check the identified uses in table 1 of the Appendix of this SDS.

For more information please see the relevant exposure scenario, available in the Appendix, and check '2.1: Control of worker' in the relevant exposure scenario section in the Appendix.

8: Exposure controls / personal

protection 8.1: Control parameters

SCOEL recommendation (SCOEL/SUM/137 February 2008; see Section 16.6):

Occupational Exposure Limit (OEL), 8 h TWA: 1 mg/m³ respirable dust of calcium dihydroxide Short-term exposure limit (STEL), 15 min: 4 mg/m³ respirable dust of calcium dihydroxide PNEC aqua = 490 μ g/l

PNEC soil/groundwater = 1080

mg/l 8.2: Exposure controls

To control potential exposures, generation of dust should be avoided. Further, appropriate protective equipment is recommended. Eye protection equipment (e.g. goggles or visors) must be worn, unless potential contact with the eye can be excluded by the nature and type of application (i.e. closed process). Additionally, face protection, protective clothing and safety shoes are required to be worn as appropriate.

Please check the relevant exposure scenario, given in the Appendix.

8.2.1: Appropriate engineering controls

If user operations generate dust, use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne dust levels below recommended exposure limits.

8.2.2: Individual protection measures, such as personal protective equipment

8.2.2.1: Eye/face protection

Do not wear contact lenses. For powders, tight fitting goggles with side shields, or wide vision full goggles. It is also advisable to have individual pocket eyewash.

8.2.2.2: Skin protection



Since calcium dihydroxide is classified as irritating to skin, dermal exposure has to be minimised as far as technically feasible. The use of protective gloves (nitrile), protective standard working clothes fully covering skin, full length trousers, long sleeved overalls, with close fittings at openings and shoes resistant to caustics and avoiding dust penetration are required to be worn.

8.2.3.3: Respiratory protection



Local ventilation to keep levels below established threshold values is recommended. A suitable particle filter mask is recommended, depending on the expected exposure levels - please check the relevant exposure scenario, given in the Appendix/available via your supplier. The substance does not represent a thermal

The substance does not represent a thermal hazard, thus special consideration is not required.

8.2.2.4: Thermal Hazards



8.2.3: Environmental Exposure

Control

All ventilation systems should be filtered before discharge to

atmosphere.

Avoid releasing to the environment.

Contain the spillage. Any large spillage into watercourses must

be alerted to the regulatory authority responsible for environmental protection or other regulatory body.

For detailed explanations of the risk management measures that adequately control exposure of the environment to the substance please check the relevant exposure scenario, available via your

supplier.

For further detailed information, please check the Appendix of

this SDS.

9: Physical and chemical properties

9.1: Information on basic physical and chemical properties

Appearance: White or off-white (beige) fine powder

Odour: odourless
Odour threshold: not applicable

pH: 12.4 (saturated solution at 20 $^{\circ}$ C) Melting point: > 450 $^{\circ}$ C (study result, EU A.1 method)

Boiling point: not applicable (solid with a melting point > 450 $^{\circ}$ C) Flash point: not applicable (solid with a melting point > 450 $^{\circ}$ C) Evaporation rate: not applicable (solid with a melting point > 450 $^{\circ}$ C) Flammability: non flammable (study result, EU A.10 method)

Explosive limits: non explosive (void of any chemical structures commonly

associated with explosive properties)

Vapour pressure: not applicable (solid with a melting point > 450 $^{\circ}$ C)

Vapour density: not applicable

Relative density: 2.24 (study result, EU A.3 method)

Solubility in water: 1844.9 mg/L (study results, EU A.6 method)

Partition coefficient: not applicable (inorganic substance)

Auto ignition temperature: no relative self-ignition temperature below 400 ℃ (study result, EU

A.16 method)

Decomposition temperature: When heated above 580℃, calcium dihydroxide decomp oses to

produce calcium oxide (CaO) and water (H₂O)

Viscosity: not applicable (solid with a melting point > 450 $^{\circ}$ C)

Oxidising properties: no oxidising properties (Based on the chemical structure, the

substance does not contain a surplus of oxygen or any structural

groups known to be correlated with a tendency to react

exothermally with combustible material)

9.2: Other information

Not available

10: Stability and

reactivity 10.1: Reactivity

In aqueous media Ca(OH)₂ dissociates resulting in the formation of calcium cations and hydroxyl anions (when below the limit of water solubility).

10.2: Chemical Stability

Under normal conditions of use and storage, calcium dihydroxide is stable

10.3: Possibility of hazardous reactions

Calcium dihydroxide reacts exothermically with acids. When heated above 580 $^{\circ}$ C, calcium dihydroxide decomposes to produce calcium oxide (CaO) and water (H₂O): Ca(OH)₂ $^{\circ}$ CaO + H₂O. Calcium oxide reacts with water and generates heat. This may cause risk to flammable material.

10.4: Conditions to avoid

Minimise exposure to air and moisture to avoid degradation.

10.5: Incompatible Materials

Calcium dihydroxide reacts exothermically with acids to form salts. Calcium dihydroxide reacts with aluminium and brass in the presence of moisture leading to the production of hydrogen.

Ca(OH)₂ + 2 Al + 6 H₂O \(\hat{Ca}\) Ca[Al(OH)₄]₂ + 3 H₂

Lafarge Tarmac Buxton Lime & Powders	Page 6 of 10	Issue 3 Rev.1 Lafarge Tarmac, Oct.2013
eSDS Calcium Dihydroxide		Document uncontrolled when printed



10.6: Hazardous Decomposition Products

None.

Further information: Calcium dihydroxide reacts with carbon dioxide to form calcium carbonate, which is a common material in nature.

11: Toxicological information

11.1: Information on toxicological effects

Toxicity endpoints Acute toxicity

Outcome of the effects assessment Calcium dihydroxide is not acutely toxic.

Oral LD₅₀> 2000 mg/kg bw (OECD 425, rat) Dermal LD₅₀> 2500 mg/kg bw (OECD 402, rabbit)

Inhalation no data available

Classification for acute toxicity is not warranted.

Skin irritation / corrosion

Eye irritation: Calcium dihydroxide entails a risk of serious damage to the eye (eye irritation studies (*in vivo*, rabbit). Based on experimental results, calcium dihydroxide requires classification as severely irritating to the eye [R41, Risk of serious damage to eye; Eye Damage 1 (H318 - Causes serious eye

damage)].

Skin irritation: Calcium dihydroxide is irritating to skin (*in vivo*, rabbit). Based on experimental results, calcium dihydroxide requires classification as irritating to

skin [R38, irritating to skin; Skin Irrit 2 (H315 - Causes skin irritation)].

Respiratory or skin sensitisation

No data available.

Calcium dihydroxide is considered not to be a skin sensitiser, based on the

nature of the effect (pH shift) and the essential requirement of calcium for

human nutrition.

Classification for sensitisation is not warranted.

Germ cell mutagenicity

Bacterial reverse mutation assay (Ames test, OECD 471): Negative

Mammalian chromosome aberration test: Negative

In view of the omnipresence and essentiality of Ca and of the physiological non-relevance of any pH shift induced by lime in aqueous media, lime is obviously void of any genotoxic potential including germ cell mutagenicity.

Classification for genotoxicity is not warranted.

Carcinogenicity

Calcium (administered as Ca-lactate) is not carcinogenic (experimental result,

rat)

The pH effect of calcium dihydroxide does not give rise to a carcinogenic risk. Human epidemiological data support lack of any carcinogenic potential of

calcium dihydroxide.

Classification for carcinogenicity is not warranted.

Toxicity for reproduction

Calcium (administered as Ca-carbonate) is not toxic to reproduction

(experimental result, mouse).

The pH effect does not give rise to a reproductive risk.

Human epidemiological data support lack of any potential for reproductive

toxicity of calcium dihydroxide.

Both in animal studies and human clinical studies on various calcium salts no reproductive or developmental effects were detected. Also see the Scientific Committee on Food (Section 16.6). Thus, calcium dihydroxide is not toxic for

reproduction and/or development.

Classification for reproductive toxicity according to regulation (EC) 1272/2008

is not required

STOT – single exposure

From human data it is concluded that Ca(OH)₂ is irritating to the respiratory

tract.

As summarised and evaluated in the SCOEL recommendation (Anonymous, 2008), based on human data calcium dihydroxide is classified as irritating to the respiratory system [R37, Irritating to respiratory system; STOT SE 3 (H335)

- May cause respiratory irritation)].



STOT – repeated exposure

Toxicity of calcium via the oral route is addressed by upper intake levels (UL) for adults determined by the Scientific Committee on Food (SCF), being UL = 2500 mg/d, corresponding to 36 mg/kg bw/d (70 kg person) for calcium. Toxicity of $Ca(OH)_2$ via the dermal route is not considered as relevant in view of the anticipated insignificant absorption through skin and due to local irritation as the primary health effect (pH shift).

Toxicity of Ca(OH)₂ via inhalation (local effect, irritation of mucous membranes) is addressed by an 8-h TWA determined by the Scientific Committee on Occupational Exposure Limits (SCOEL) of 1 mg/m³ respirable dust (see Section 8.1).

Therefore, classification of Ca(OH)₂ for toxicity upon prolonged exposure is not required.

Aspiration hazard

Calcium hydroxide is not known to present an aspiration hazard.

12: Ecological information

12.1: Toxicity

12.1.1: Acute/Prolonged toxicity to LC₅₀ (96)

12.1.2: Acute/Prolonged toxicity to aquatic invertebrates

12.1.3: Acute/Prolonged toxicity to aquatic plants

12.1.4: Toxicity to microorganisms e.g. bacteria

12.1.5: Chronic toxicity to aquatic organisms

12.1.6: Toxicity to soil dwelling organisms

12.1.7: Toxicity to terrestrial plants

12.1.8: General effect

 LC_{50} (96h) for freshwater fish: 50.6 mg/l LC_{50} (96h) for marine water fish: 457 mg/l

 EC_{50} (48h) for freshwater invertebrates: 49.1 mg/l LC_{50} (96h) for marine water invertebrates: 158 mg/l EC_{50} (72h) for freshwater algae: 184.57 mg/l NOEC (72h) for freshwater algae: 48 mg/l

At high concentration, through the rise of temperature and pH, calcium dihydroxide is used for disinfection of sewage sludges.

NOEC (14d) for marine water invertebrates: 32 mg/l

EC $_{10}\text{/LC}_{10}$ or NOEC for soil macroorganisms: 2000 mg/kg soil dw

EC $_{10}\text{/LC}_{10}$ or NOEC for soil microorganisms: 12000 mg/kg soil dw

NOEC (21d) for terrestrial plants: 1080 mg/kg

Acute pH effect. Although this product is useful to correct water acidity, an excess of more than 1 g/l may be harmful to aquatic life. pH value of > 12 will rapidly decrease as result of dilution and carbonation.

12.2: Persistence and Degradability

Not relevant for inorganic substance

12.3: Bioaccumulative potential

Not relevant for inorganic substance

12.4: Mobility in Soils

Calcium dihydroxide, which is sparingly soluble, presents a low mobility in most soils

12.5: Results of PBT and vPvB assessment

Not relevant for inorganic substances

12.6: Other adverse effects

No other adverse effects are identified

13: Disposal considerations

13.1 Waste treatment Disposal of calcium dihydroxide should be in accordance with local and **methods** national legislation. Processing, use or contamination of this product may

change the waste management options. Dispose of container and unused contents in accordance with applicable member state and local requirements.

The used packing is only meant for packing this product; it should not be reused for other purposes. After usage, empty the packing completely.

14: Transport information

Calcium dihydroxide is not classified as hazardous for transport (ADR (Road), RID (Rail), IMDG / GGVSea (Sea).

14.1: UN N^o Not regulated

Lafarge Tarmac Buxton Lime & Powders	Page 8 of 10	Issue 3 Rev.1 Lafarge Tarmac, Oct.2013
eSDS Calcium Dihydroxide		Document uncontrolled when printed



14.2: UN Proper Not regulated

Shipping Name

14.3: Transport Hazard Not regulated

classes

14.4: Packing Group Not regulated

14.5: Environmental None

hazards

14.6: Special Avoid any release of dust during transportation, by using air-tight tanks

precautions for user

14.7: Transport in bulk Not regulated

according to Annex II of MARPOL73/78 and the IBC Code

15: Regulatory information

15.1: Safety, health and environmental regulations/legislation specific for the substance

Authorisations: Not required

Restrictions on use None

Calcium dihydroxide is not a SEVESO substance, not an ozone-depleting

Other EU Regulations substance and not a persistent organic pollutant.

National regulations None

15.2: Chemical Safety AssessmentA chemical safety assessment has been carried out for this substance.

16: Other information

Data are based on our latest knowledge but do not constitute a guarantee for any specific

product features and do not establish a legally valid contractual relationship.

16.1: Hazard Statements

H315: Causes skin irritation

H318: Causes serious eye damage

H335: May cause respiratory irritation

16.2: Precautionary Statements

P102: Keep out of reach of children

P280: Wear protective gloves/protective clothing/eye protection/face protection P305+P351: IF IN EYES: Rinse cautiously with water for several minutes

P310: Immediately call a POISON CENTRE or doctor/physician

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

P501: Dispose of contents/container in accordance with current waste regulations

16.3: Risk Phrases

R37: Irritating to respiratory system

R38: Irritating to skin

R41: Risk of serious damage to eyes

16.4: Safety Phrases

S2 Keep out of reach of children

S25 Avoid contact with eyes

\$26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

\$37 Wear suitable gloves

S39 Wear eye/face protection



16.5: Abbreviations

 EC_{50} : median effective concentration LC $_{50}$: median lethal concentration

LD₅₀: median lethal dose

NOEC: no observable effect concentration

OEL: occupational exposure limit

PBT: persistent, bioaccumulative, toxic chemical

PNEC: predicted no-effect concentration

SCOEL: Scientific Committee on occupational exposure limits

STEL: short-term exposure limit TWA: time weighted average

vPvB: very persistent, very bioaccumulative chemical

16.6: Key Literature References

Anonymous, 2006: Tolerable upper intake levels for vitamins and minerals Scientific Committee on Food, European Food Safety Authority, ISBN: 92-9199-014-0 [SCF document] Anonymous, 2008: Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL) for calcium oxide (CaO) and calcium dihydroxide (Ca(OH)₂), European Commission, DG

16.7 Revision

This version produced in reference to Annex II of the REACH Regulation (EC) 1907/2006 Disclaimer

Employment, Social Affairs and Equal Opportunities, SCOEL/SUM/137 February 2008

This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation (EC 1907/2006; article 31 and Annex II), as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.

APPENDIX: Exposure Scenarios

Available on request from the supplier

End of the safety data sheet